
TECHNISCHE RIDER september 2020

We bring our own sound engineer. He would like to use the installation available at the venue and will contact the venue on beforehand. (Marcel Wijngaards +31 6 11595943)

STAGE PLOT



REQUIREMENTS ON STAGE

- Drum risers:

We need two drum-risers. We can either use one big drum riser or two separate risers put together. The minimal measurements needed are $4x^2$ meters for the combined riser. The drummers will both use their own carpets on the drum-risers.

- Banners:

We use 3 banners. Two with the measurements: 1.70x2.40 meters and one with the measurement: 2.40x2.40 meters. These will be attached with tie-wraps we bring ourselves. If there is no automatic truss system we would like the venue to provide us with a ladder. Depending on the measurements of the stage and venue we will use one, two or all three of them.

- Kleden:

We bring two big Persian carpets and would like the front of the stage to be as empty as possible for us to lay them down when we arrive.

COVID MEASURES:

- The band will keep a 1,5 meter distance at all times.
- The band will set up their gear on stage and then leave the stage to make room for the sound technician to place the microphone.
- De band will bring their own microphones for vocals and presentation. These should <u>never</u> be touched or used by anyone else.

Channel#	Instrument	Mic/DI	
1	KickJORAM	Audix D-6	
2	SnTopJORAM	Shure SM-57	
3	SnBotJORAM	Sennheiser E904	Optional
4	Rack1JORAM	Sennheiser E904	
5	Rack2JORAM	Sennheiser E904	Optional
6	FloorJORAM	Sennheiser E904	
7	HihatJORAM	KM184	
8	OverheadLeftJORAM	AKG214	
9	OverheadRightJORAM	AKG214	Optional
10	KickTIM	Audix D-6	
11	SnTopTIM	Shure SM-57	
12	SnBotTIM	Sennheiser E904	Optional
13	Rack1TIM	Sennheiser E904	
14	Rack2TIM	Sennheiser E904	Optional
15	FloorTIM	Sennheiser E904	
16	HhTIM	KM184	
17	OverheadLeftTIM	AKG214	Optional
18	OverheadRightTIM	AKG214	
19	BassDI	DI	Direct DI- out on amp
20	BassAMP	MD421	Optional
21	LeslieTop	Eigen mic	
22	LeslieTop	Eigen mic	
23	LeslieBot	SM58	
24	KeysAmp	E906 of SM57	
25	GuitarLEIF1	Shure SM-57	Will use a plexi screen
26	GuitarLEIF2	E906	Optional, will be discussed before gig.
27	GuitarSEM	Shure SM-57	Will use a plexi screen
28	VocLEIF	Shure SM-58(Beta)	Presentation, uses own microphone
29	VocSEM	Shure SM-58	Lead vocals, uses own microphone, would like a stand and clip.
30	VocBORIS	Shure SM-58(Beta)	Backing vocals, uses own microphone

MONITORS/WEDGES

We prefer a separate monitor mix done by a sound technician of the venue. We would like to use 7 wedges on 6 different groups. If the venue is not able to provide this please contact us on beforehand so we can come to a solution together.

We don't have set wedge preferences since every room asks for different settings, therefore we would like to start the soundcheck with blank wedges and add whatever we need during the soundcheck.

Wedge	Instrument	Name
W1	Keys	Willem
W2	Leadguitar	Leif
W3	Leadvocals/guitar	Sem
W4	Leadvocals/guitar	Sem
W5	Bass/Backing	Boris
W6	Drums stageright	Joram
W7	Drums stageleft	Tim

Note: We sometimes change gear or musicians, we try to keep our rider as up to date as possible but last minute changes may occur. If this would be a problem please let us know on beforehand so we can inform you about what changes we have as soon as possible.

LICHT:

We would like our lights to be done by the venues technician. We have no issues with the use of smoke-machines. If the light technician wants to use strobe lights please discuss it with the band on beforehand.

Changing colors contribute to the show's vibe, we prefer slow changes and no chases.